



Fizten Surgico



**ORTHODONTIC
INSTRUMENTS**



Fizten Surgico

Providing the highest quality precision instruments to the profession.

QUALITY CRAFTSMANSHIP

All orthodontic instruments are using the finest grade stainless steel. They feature a smooth finish for reduced glare, an easy to clean surface, and are corrosion resistant. Handle size, shape and weight create perfect balance. The instruments are all hand polished, leaving smooth non-glare contoured edges for both user and patient comfort.

JOINT CONSTRUCTION

All orthodontic instruments have a box and lap joint hinged construction for durability and continuously smooth operation. Joint pliers are known for perfect tip alignment, longevity and exceptional performance each and every time. Handles were designed with your comfort and ergonomics in mind, because we know a good plier goes a long way.

MATERIAL QUALITY

The cutting edges of all instruments are manufactured from a custom blended speciality alloy which offers many advantages over tool steel and tungsten carbide. The inserts are highly corrosion resistant and will remain bright without tarnishing throughout the life of the instrument. All of the cutting edges are exceptionally tough without being brittle like tungsten carbide and will provide superior sharpness and long lasting strength.

WARRANTY

All our instruments are warranted against material defects and craftsmanship. Sharpening cutters and/or repairing minor tip damage is not covered by warranty as this is considered to be routine maintenance for normal use.



Fizten Surgico

Providing the highest quality precision instruments to the profession.

We are manufacturer and exporter of dental instruments and orthodontic instruments. We are manufacturing instruments in a high quality controlled under the supervision of highly qualified engineers / professional to satisfy our customers.

The quality management system has been properly implemented and is successfully working at all production stages. We carry out all the necessary tests, inspections and process control activities to ensure that there is no problem with the instruments performance.

The technical specifications are provided for more understanding of the products and to improve the confidence of the customer.

Although this catalogue doesn't cover all the range of orthodontic instruments, yet it assures you that we can make every type of instruments. So we will welcome your all inquiries, also for your required instruments which have not been listed in this catalogue.

CONTENTS

Hard Wire, Pin and Ligature Cutter	01
Utility Pliers	02 - 03
Wire Bending Pliers	04 - 06
Lab Pliers	07 - 08
Lingual Pliers	09 - 11
Distal End Cutters	12
Wire Forming Pliers	13
Elastic Separating Pliers	14
Hand Instruments & Hemostats	15
Orthodontic Forceps	16 - 17
Orthodontic Instruments	18 - 20
Instruments Cassettes	21





Fizten Surgico

EN —● Hard Wire, Pin and Ligature Cutter

DE —● Hartdraht-, Stift- und Ligaturschneider

ES —● Cortador de alambre duro, pin y ligadura



66-5001

Hard Wire Cutter with T.C.

Easily cuts any size archwire or pin.

Minimum Cutting Capacity: .014" (.30mm)

Maximum Cutting Capacity: archwires up to .021" x .025" (.55 x .64mm)




66-5002

Hard Wire Cutter 15 Angle with T.C.

Easily cuts any size archwire or pin.

Minimum Cutting Capacity: .014" (.30mm)

Maximum Cutting Capacity: archwires up to .021" x .025" (.55 x .64mm)



66-5003

Heavy Duty Cutter with T.C.

This Instruments cuts up to 1.5mm wire with ease due to its triple action design.

Minimum Cutting Capacity: .14" (.36mm)

Maximum Cutting Capacity: wire up to .060" (1.5mm)



66-5003A

Autoclavable Heavy Duty Cutter with T.C.

For heavy duty wire cutting

Minimum Cutting Capacity: .012" (.30mm)

Maximum cutting capacity: .040" (1mm)



66-5004

Pin Ligature Cutter 7 Angle with T.C.

Standard cutter with 7 angled tips to allow easy access and better visibility in difficult areas.

Minimum Cutting Capacity: soft wire up to .16" (.41mm)



66-5005

Micro-Miniature Ligature Cutter with T.C.

The small narrow and sharp pointed tips allow easy access to the most difficult areas.

Minimum Cutting Capacity: soft wire up to .12" (.30mm)



66-5006

Micro Mini Long Handled Ligature

The small narrow and sharp pointed tips allow easy access to the most difficult areas.

Minimum Cutting Capacity: soft wire up to .12" (.30mm)



66-5007

Standard Ligature Cutter with T.C.

This cutter has fine tips for easier access to difficult to reach areas. Cuts pins, wire ligatures and elastics.

Minimum Cutting Capacity: soft wire up to .15" (.40mm)





66-5026

Small Weingart Utility Plier

Serrated tips hold wires firmly at a convenient working angle.
Holds round, square and rectangular wires up to .022" x .028" (.56 x 71mm)



66-5027

Small Weingart Utility Plier with T.C.

Tips hold wires firmly at a convenient working angle.
Holds round, square and rectangular wires up to .022" x .028" (.56 x 71mm)



66-5028

Large Weingart

Precision serrated tips are designed for heavy wires and to prevent the wire from slipping. **Holds wire up to .33" (.76mm).**



66-5029

Large Weingart Utility Plier with T.C.

Precision serrated tips are designed for heavy wires and to prevent the wire from slipping. **Holds wire up to .33" (.76mm).**



66-5030

Fine Tipped Weingart

Sturdy construction without T.C. This strong but fine tipped utility plier allows excellent access in difficult to reach areas. **Holds wire up to .022" x .028" (.56 x 71mm)**



66-5031

How Utility Plier (Straight)

A versatile utility plier with a long tapered tips. The 3/32" diameter tips are serrated to prevent slippage. The tips are rounded for patient comfort and safety.



66-5032

How Utility Plier (Angled)

45° angled tips for convenient access to lingual and other difficult to reach areas. Matching serrated tips hold wires firmly at a convenient working angle.



66-5033

Crimpable Archwire Hook Plier

Designed for surgical ball hooks and auxiliaries. The slotted tip holds auxiliaries secure to provide for positive crimping.



Fizten Surgico

EN — Utility Pliers
DE — Hilfszangen
ES — Alicates de utilidad



**66-5034
Stops Cropping Plier**


For applying crimpable stops to archwires.



**66-5035
Posterior Band Remover (Short)**

The plastic pad rests on the occlusal surface of the molar which places the removing tip in the perfect position to catch the gingival edge of the band.

Replacement Tips 3/16" (5mm)
Replacement Tips 1/8" (4mm)



**66-5036
Posterior Band Remover (Long)**


The plastic pad rests on the occlusal surface of the molar which places the removing tip in the perfect position to catch the gingival edge of the band.

Replacement Tips 3/16" (5mm)
Replacement Tips 1/8" (4mm)



**66-5037
Direct Bond Remover (Straight)**

Sharp tips wedge between the edges of the bracket base and tooth surface to remove direct bond brackets safely and comfortably



**66-5038
Direct Bond Remover (Angled)**

Sharp tips wedge between the edges of the bracket base and tooth surface to remove direct bond brackets safely and comfortably



**66-5039
Direct Bond Remover with T.C.**

Removes brackets easily by holding the side of the bracket in a horizontal the tie wing and applying pressure by torquing in a clockwise




**66-5040
Small Adams with T.C.**

Square beak 1mm at tip and parallel at .045" opening. Effective for wire up to .030" (.76mm)



**66-5041
Crimpable Hook Plier (CHP)**





66-5076

Light Wire Plier with Cutter/2 Grooves

These smooth tipped pliers bend archwires from **.012" to .020"** (.30mm - .53mm). Beaks are grooved for round wire at 1mm and 2mm from tips. Cutter at base of beaks cuts archwires from **.014" to .020"** (.36mm - .51mm).




66-5078

Bird Break Plier

Plier for working with round wire up to **.028" (.71mm)**

The round beak is precision ground to a perfect cone- .025" at the tip. The pyramid beak is exactly .025" wide at the tips.



66-5077

Light Wire Plier

These smooth tipped pliers bend archwires from **.012" to .020"** (.30mm - .53mm). Beaks are grooved for round wire at 1mm and 2mm from tips. Cutter at base of beaks cuts archwires from **.014" to .020"** (.36mm - .51mm).




66-5079

Bird Beak Plier with T.C.

Plier for working with round wire up to **.028" (.71mm)**

The round beak is precision ground to a perfect cone- .025" at the tip. The pyramid beak is exactly .025" wide at the tips.



66-5080

Long Beak Light Wire Plier

Longer Beaks for making precision loops in light wires. can be used with round and square wire up to **.020" (.51mm)**.



66-5081

Tweed Loop Forming Plier with Cutter

Ideal for making consistent uniform loops. The tip has three sections of 1.2mm, 1.8mm and 2.0mm with matt finish to prevent wire slippage. Can be used with round and square wire up to **.021" x .025" (.55 x .64mm)**. Built in cutter allows wire to be cut from **.014" to .020"** (.36mm - .51mm)



66-5082

O'Brine Loop Forming Plier

The Perfect plier for making Bull, Omega and loops. This plier has one precision cylindrical three-step beak and one concave, serrated surface to prevent wire slippage. Can be used with round & square wire up to **.021 x .025" (.55 x 64mm)**



66-5083

Nance Plier

Precision loop forming with four step tips 3mm, 4mm, 5mm & 6mm. Excellent for round & square wires up to **.022" (.56mm)**. All working edges have been beveled to prevent wire scoring.



Fizten Surgico

EN —● Wire Bending Pliers

DE —● Drahtbiegezange

ES —● Alicates para doblar cables



66-5084

Tweed Arch Forming Plier with T.C.


Designed for torquing and bending square or rectangular wires. The blabes are designed to be parallel at .020" opening. Can be used on wires up to .21" x 025" (.55 x 65mm)



66-5085

Tweed Arch Forming Plier


Designed for torquing and bending square or rectangular wires. The blabes are designed to be parallel at .020" opening. Can be used on wires up to .21" x 025" (.55 x 65mm)



66-5086

Tweed Plier

Precision aligned tips are gently rounded for consistent contouring and bending without damaging the archwire. One-piece construction of the double tips ensures superior strength. Can be used on wire up to .030" (.76mm).



66-5087

Fine 3-jaw Plier

Precision aligned tips are gently rounded for consistent contouring and bending without damaging the archwire. One-piece construction of the double tips ensures superior strength. Can be used on wire up to .030" (.76mm).



66-5088

De La Rosa

Precision matched concave and covex tips for smooth contouring of light wire loops. Contours and froms arches without torquing. Can be used on wires up to .021" x 025" (.55mm x .64mm).



66-5089

De La Rosa with Grooves


Precision matched concave and covex tips for smooth contouring of light wire loops. Contours and froms arches without torquing with additional grooves respectively measuring .016", .018" (.55mm x .64mm).



66-5090

Detailing Step Plier

Double-sided offset beak permits bayonet bands. Creates right and step-down at 1/2, 3/4, or 1mm increments.




66-5091

Z Bend plier

Use for bending an archwire in Z shaped max. (0.019*0.025 mm) wire






66-5092

V Bend Plier

Provides positive 1mm V bend any part of the archwire to stop archwire movement.



66-5093

Utility Arch Plier (straight)

Special design with 3mm step for accurate utility arch construction. The notches in plier beaks crimp performed utility archwires into proper position



66-5094

Angled Utility Arch Plier

Angled beak with pin simplifies the placement and manipulation of performed utility archwires from 3mm steps for accurate utility arch construction. Preformed utility archwires can be easily crimped in the mouth.



66-5095

Torquing Plier Set

The torquing plier set allows the accurate placement of torque to square/rectangular archwires. Both Male and Female parts have hard wearing Tungsten Carbide tips.



66-5096

Torquing Plier Set

The torquing plier set allows the accurate placement of torque to square/rectangular archwires. Both Male and Female parts have hard wearing Tungsten Carbide tips.



66-5097

Torque Bending Plier

The torquing plier set allows the accurate placement of torque to square/rectangular archwires. Both Male and Female parts have hard wearing Tungsten Carbide tips.





66-5098
Crown & Band Contouring Pliers.
Ideal for reshaping molar bands and crowns.



66-5099
Adhesive Removing Pliers
Superior tip design allows easy access to remove excess adhesive after debonding. Double ended replaceable blade.



66-5100
Jarabak Pliers
Excellent for precise wire bending and forming of loops. The fine serrations on the square beak and three precision grooves permit accurate and intricate bends and



66-5101
Hollow Chop Contouring Pliers.
Smooth working surface allow for consistent forming and contouring of arches up to .30" (.76mm).



66-5102
Ligature Forming Pliers
Easily bands ligature wire into a performed ligature bow Joint stainless steel.



66-5103
Loop Tie Back Plier
Four-step plier automatically forms loops on wire up to .020" with one motion. Closing loops are easily made to desired height.



66-5104
Lingual Arch Forming Pliers
From double-back and triple-back bends in .030" and .036" wire for lingual sheaths.




66-5105
Weingart Pliers
Serrated tips hold wires firmly in the mouth. Tapered beaks fit easily into hard-to-reach areas.



66-5106
Band Crimping Pliers
The tip allow for easy access into molar and premolar bands.



66-5126
Adams Pliers
T.C. inserted tips.
Bends hard wire up to **.39" (1.00mm)** max



66-5127
Spring Former Plier
T.C. inserted tips.
Bends hard wire up to **.28" (0.7mm)** max



66-5128
Universal General Use Plier
Stainless steel.
Bends hard wire up to **.039" (1.0mm)** max.
Cuts hard wire up to **.028" (0.7mm)** max.



66-5129
Universal waldsach Plier
Cut & Bends hard wires up to **1mm**. Multifunctional




66-5130
Three Jaw Plier
For hardwire up to **.024" (0.6mm)** max.



66-5131
Young Plier
For labial arches and canine loops.
For hardwire up to **.028" (0.7mm)** max



66-5132
Bird beak pliers with serrated tip
Affords a firm non-slip grip on heavy up to **.036"** all stainless steel with tools steel inserts.



66-5133
Lingual Arch Bending Plier
For forming of all lingual retainers. grooved to hold all larger wire sizes, jaw width is **.120" (3.05mm)** Also ideal for double and triple back bends. Bends round, square and rectangular wires up to **.036" (0.91mm)** max.




Fizten Surgico

EN —● Lab Pliers
DE —● Labzange
ES —● Alicates de laboratorio



66-5134
Swartz Plier
Arrow clasp forming plier, for wire up to .028" (0.7mm) max.



66-5135
Conical Flat Nose Plier
One tip serrated. One tip smooth. For use with wire up to .028" (0.7mm) max.



66-5136
Optical Plier
For hardwire up to .028" (0.7mm) max.




66-5137
Flat Nose Plier
A favorite general plier - both tips of this flat nose plier are serrated with a guiding groove for use by technician or clinician for chairside adjustments of wire up to 0.7mm



66-5138
Clasp 3-prong Adjusting Plier
Affords a firm non-slip grip on heavy up to .036" all stainless steel with tools steel inserts.



66-5139
Lingual Bar & Facebow Plier
Stainless Steel box-joint forging, this instrument is capable of bending wire up to .075" diameter. The plier has large handles and is 3/4" larger than a standard instrument making bending an ease.



66-5140
Three Jaw Plier
For hand wire up to 1mm. max



66-5141
Nance Loop Closing Pliers
For bending stop loops and special pliers for adams clasps wires up to .028"



66-5176

Flush Cut Distal End Safety Hold Cutter with T.C. / Long Handle

Minimum Cutting Capacity: .014" (.30mm)

Minimum Cutting Capacity: arch wires up to .019" x .025" (.48mm x .64mm)

The Flush Cut Feature Of This Instruments Allows the archwire to be cut flush with the end of the buccal tube, eliminating the



66-5177

Long Handle Distal End Cutter with TC

Minimum Cutting Capacity: .014" (.30mm)

Maximum Cutting Capacity: .019" x .025" (.48mm x .64mm)

This instrument features long handles and a slim box joint with a compact head to ensure access in hard to reach areas.




66-5178

Micro-Miniature Ligature Cutter with T.C

Minimum Cutting Capacity: soft wire up to .012" (.30mm)

The small, narrow & sharp Pointed Tips allow easy access to the most difficult areas.



66-5179

Micro Mini Long Handled Ligature Cutter

Minimum Cutting Capacity: soft wire up to .012" (0.30mm)



66-5180

Long Handle Ligature Cutter 50 Angle Upper

The narrow tip is angled at 50 for excellent access to the upper arch.

Minimum Cutting Capacity: soft wire up to .012" (0.30mm)



66-5181

Mini or Normal Handled Ligature Cutter Upper Standard Handle

The narrow tip is angled at 50 for excellent access to the upper arch.

Minimum Cutting Capacity: soft wire up to .012" (.30mm)



Fizten Surgico

- EN —● Lingual Pliers
- DE —● Lingualzange
- ES —● Alicates linguales



66-5182

Mini Ligature Cutter 60 Angle Lower

Angled at 60 for excellent access to the lower arch.

Minimum Cutting Capacity: soft wire up to .012" (.30mm)



66-5183

Weingart 60 Angle with T.C.

Small serrated Tungsten Carbide tips are angled at 60 for easy access in the posterior region.

Minimum Cutting Capacity: .012" (.30mm)

Maximum Cutting Capacity: .18" (.64mm) wire.



66-5184

Cinch Back Small Handle

Cinches and bends NiTi archwires distal to the buccal tube. Slim beak for use with Nickel Titanium Wire .019" - .025"



66-5185

Cinch Back

The serrated tips of this instrument hold the wire securely while bending the wire 90° distal to the buccal tube, avoiding patient discomfort. For use with Nickel Titanium wire .012" - .018" (.30 x .46mm)



66-5186

Stepped Tweed Arch Plier

Designed for Torquing & Bending both square & rectangular Wire.
Minimum Cutting Capacity: wire up to .021" - .025" (.55 x .65mm)






66-5201
Bracket Remover

The narrow sharp tips, wedge between the edges of the bracket base & tooth surface to remove direct bond brackets safely & comfortably



66-5202
Lingual Anterior Debonding Plier

Designed to remove Anterior brackets with ease including brackets with large bases such as the 3M Incognito system.



66-5203
Lingual Debonding Plier

Lingual Debonding Plier. Ideal for debonding of lingual brackets in the anterior area and please check that the screw is always firmly tightened.

66-5204
Lingual Bracket and Bondable Tube Holder
Reverse action Tube placer designed for placing bondable tubes and lingual brackets and attachments. Curved design allows placement with an unobstructed views.



66-5205
Curved Smaha
Fine curved tips but strong enough for inserting archwires & excellent for placing elastomeric to lingual brackets.



66-5206
Lingual Assitance Ligature
Director 0.018"
Specially designed for lingual application.

66-5207
Lingual Assitance Ligature
Director 0.018"
Specially designed for lingual application.



Fizten Surgico

- EN —● Distal End Cutters
- DE —● Distal End Cutters
- ES —● Cortadores de extremo distal



66-5226

Distal End Safety Hold Cutter with T.C.

This instruments cuts wires close to the buccal tube and safely holds the distal end.

Minimum Cutting Capacity: .014" (.30mm)

Maximum Cutting Capacity: .019" x .025" (.48mm x .64mm)



66-5227

Long Handled Distal End Safety Hold Cutter with T.C.

This instruments features extra long handles and a compact head to ensure access in hard to reach areas.

Minimum Cutting Capacity: .014" (.30mm)

Maximum Cutting Capacity: .019" x .025" (.48mm x .64mm)



66-5228

Flush Cut Distal End Safety Hold Cutter with T.C. (short)

The flush cut feature of this instrument allow the archwire tube cut flush with the end of the buccal tube eliminating the possibility of patient discomfort resulting from archwire protrusion.

Minimum Cutting Capacity: .014" (.30mm)

Maximum Cutting Capacity: archwires up to .019" x .025" (.48mm x .64mm)



66-5229

Flush End cutter with T.C

Flush End cutter is an exceptional universal cutter for all types of wires up to

Minimum Cutting Capacity: .014" (.30mm)

Maximum Cutting Capacity: .019" x .025" (.48mm x .64mm)

Fizten Surgico



66-5376

Distal End Cutter Flush Cut

Safety hold is ideal for cutting wires the patient's mouth. Plier shears cuts hard wires close to the buccal tube and holds loose wire. Maximum cutting capacity: Archwires up to .022" x .028".



66-5377

Weingart

The tips of the utility plier are pointed and serrated to easily arch wire. Beak is rounded for patient safety and comfort.



66-5379

Direct Bound Bracket Remover With Pad

Similar to our regular direct bond brackets remover, but one tip features a replaceable pad. Pads available in 3/16" and 1/4"



66-5380

Three Jaw Aplier

The gradually tapered prongs allow even the most delicate bends. Tips are precision aligned for consistency. Ideal for use in working with clasps and removable appliances. For use with wires up to .036".



66-5381

Lingual Arch Forming Plier

From double-back bends in .030" or .036" wires with this plier. The double-back forming groove is designed to provide adequate flattening of wires.



66-5382

Omega Loop Forming Plier

Ideal for forming inner bow loops accurately with .045" and .051" bows.

66-5383

Buccal Tube Convertible Cap Removing Plier



Fizten Surgico

ALIGNERS SERIES


**Quality and engineering come
together for superior performance**

Aligners series consist of innovative instruments designed to accent, individualize and optimize the biomechanics of the invisible aligner experience with no heat required.

Every instrument features:

Correcting rotations is often a challenge with aligners. Our aligner series impress an indentation with the mesial or distal line angle of a tooth to enhance rotational control.





66-6001

The Hole Punch

Used to create half-moon cutouts for relief of clear aligners around bonded buttons used for elastic. The hole punch can nip away plastic to provide soft tissue clearance to prevent aligner impingement of tissue.



66-6002


Punch Pliers

Punches a hole into which the hook is inserted.

66-6003

Horizontal Aligner

Produces an indentation to accent individual root torque. Also enhance retention of either clear aligners or retainers by placing an indent into a tooth's undercut or below a bonded attachment.



66-6004

Vertical Aligner

The vertical emphasizes over correction of rotations by producing an indentation at the mesial or distal line angles on the facial and/or lingual of a specific tooth.

66-6005

Tear Drop Aligner

Provides a reservoir to hold the elastics in place as the aligner is seated. Designed to add a notch at the gingival margin of clear aligners anywhere elastic hooks are required within the arch.



66-6051

Bite Plane Pliers

Make bite plane aligners without acrylic



66-6052

Maxillary Tooth Moving Pliers


Tip or rotate larger teeth.



66-6053

Bubble-Forming Pliers

Create additional space in the aligner for the target tooth to move into.



66-6054

Mesial Distal Pliers

Lateral movement of both posterior and anterior teeth. Allow contact close to incisal edge.



66-6055

Micro Ramp Pliers

Tip, torque or rotate smaller teeth laterally. Allow contact close to incisal edge.



66-6056

Hook-Forming Pliers

Produce the projection needed to make a hook for the attachment of elastics.



66-6057

Large Circle Pliers

Increase the size (diameter) of a large existing force point, Elevate hooks off of teeth.



66-6058

Elastic Slot Forming Pliers


Form the slot in the projection to hold elastics



66-6059

Mandibular Tooth Moving Pliers

Tip or rotate smaller teeth.



66-6060

Small Circle Pliers

Increase the size (depth) of small existing force point.



66-6061

Undercut Enhancer Pliers

Adjust loose aligners by tightening/estending plastic at interproximal points

Elastic separating pliers.
 Hand crafted with surgical
 stainless steel for effective
 corrosion prevention.



66-6301

Elastic Separating Pliers
 Beaks for accessibility, ease and
 accuracy. Grooved beaks assure
 positive hold for positioning.

66-6302

**Elastic Separating
 Pliers**
 Beaks for accessibility,
 ease and accuracy.
 Grooved beaks assure
 positive hold for



66-6303

Elastic Separating Pliers
 Beaks for accessibility, ease
 and accuracy. Grooved beaks
 assure positive hold for
 positioning.

66-6304

Elastic Separating Pliers
 Beaks for accessibility, ease
 and accuracy. Grooved beaks
 assure positive hold for
 positioning.

66-6305

Elastic Separating Pliers
 Beaks for accessibility, ease
 and accuracy. Grooved beaks
 assure positive hold for
 positioning.



Fizten Surgico

EN —● Hand Instruments & Hemostats

DE —● Handinstrumente & Hämostate

ES —● Instrumentos de mano y hemostáticos



66-6401

Mathieu Needle Holder Fine

Study rounded fine tips designed for

twisting ligature wire. Fine tips.

Size 14 cm



66-6402

Mathieu Needle Holder Narrow Tip

The narrow tip Methieu style needle holder has serrated tips. Safety lock reduces the chances of gloves catching in the ratchet, while the double spring allows instant opening and closing. Excellent for placement of ligature wires and elastometric ties. Size 14 cm



66-6403

Mathieu Needle Holder with T.C.

Study, rounded tips designed for twisting ligature wire. Tungsten Carbide tips. Size 14 cm



66-6404

Curved Mathieu Needle Holder Standard

Study rounded tips designed for twisting ligature wire. Curved tip provides easy access to reach in difficult areas.

Size 14 cm



66-6405

Mathieu Needle Holder Ultra Fine

Study rounded fine tips designed for

twisting ligature wire. Ultra fine tips.

Size 14 cm



66-6406

Mathieu Needle Holder

Elastomoeric ligature placing forceps, Study, rounded tips designed for twisting ligature wire. Size 14 cm



66-6407

Curved Mathieu Needle Holder

Fine

Study rounded fine tips designed for twisting ligature wire. Curved tip provides easy access to reach in difficult areas.


Size 14 cm



66-6408

Mathieu Needle Holder with Teeth

Elastomoeric ligature placing forceps, Study, rounded tips with top on teeth designed for twisting ligature wire. Size 14



66-6409

Mathieu Needle Holder Standard

Study, rounded tips designed for twisting

ligature wire. Size 14 cm



66-6410

Mathieu Needle Holder with Hole

Elastomoeric ligature placing forceps, Study, rounded tips with hole on top designed for twisting ligature wire. Size 14



66-6501

Standard Bracket Holder

Spring loaded reverse action holds brackets until rerelease is desired. Blade at the end of the tip helps with final bracket slot position.



66-6502

Standard Bracket Holder

Spring loaded reverse action holds brackets until rerelease is desired. Blade at the end of the tip helps with final bracket slot position.



66-6503

Deluxe Bracket Holder

Spring loaded reverse action holds brackets until rerelease is desired. Positioning blade helps with bracket alignment.



66-6504

Deluxe Bracket Holder

Spring loaded reverse action holds brackets until rerelease is desired. Positioning blade helps with bracket alignment.



66-6505

Boundable Tube Placer


Reversw action Tube placer designed for placing bondle tubes abd lingual brackets and attachments. Curved design allows placement with an unobstructed view.



66-6506

Tube Placer

Reversw action Tube placer designed for placing bondle tubes abd lingual brackets and attachments. Curved design allows placement with an unobstructed view.



66-6507

Standard Bracket Holder


Spring loaded reverse action holds brackets until rerelease is desired. Blade at the end of the tip helps with final bracket slot position.



66-6508

Standard Bracket Holder

Spring loaded reverse action holds brackets until rerelease is desired. Blade at the end of the tip helps with final bracket slot position.



66-6509

Standard Bracket Holder

Spring loaded reverse action holds brackets until rerelease is desired. Blade at the end of the tip helps with final bracket slot position.



66-6510

Standard Bracket Holder

Spring loaded reverse action holds brackets until rerelease is desired. Blade at the end of the tip helps with final bracket slot position.



Fizten Surgico

EN	●	Orthodontic Forceps
DE	●	Kieferorthopädische Zange
ES	●	Alicates de ortodoncia



66-6511

Standard Bracket Holder

Spring loaded reverse action holds brackets until rerelease is desired. Blade at the end of the tip helps with final bracket slot position.



66-6512

Standard Bracket Holder

Spring loaded reverse action holds brackets until rerelease is desired. Blade at the end of the tip helps with final bracket slot position.



66-6513

Direct Bond Bracket Holder

Spring loaded reverse action holds brackets until rerelease is desired. Blade at the end of the tip helps with final bracket slot position.



66-6514

Curved Bracket Holder

Designed for placement of lingual brackets and attachments. Serrated tips give excellent grip.



66-6515

Multi-Use Bracket Holder with alignment Mirror

Multi-purpose tweezers with height guide. Bracket holder also offers a mirror with cross hairs as a guide to correct placement when bonding.



66-6516



66-6517



66-6518

Classic Perry Collage Plier

Features serrated tips for non-slip efficiency.



+92 323 8685907



66-6601

Plugger & Scaler

Medium end plugger and other side with scaler.



66-6602

Ligature Director & Remover

One end designed for the removal of elastics with a thin tapered tip the other end is a curved offset ligature



66-6603

Ligature Director & Remover

One end designed for the removal of elastics with a thin tapered tip the other end is a curved offset ligature



66-6604

Twirl On Instrument

Designed to quickly and more comfortably place cane-style ligature ties.



66-6605

Ligature Director

Used to help "tuck" excess steel ligature wire into the desired position. One end is straight, and the opposite end is angled for easy access to all regions of the mouth.



66-6606

Ligature Director & Remover

One end designed for the removal of elastics with a thin tapered tip the other end is a curved offset ligature



66-6607

Single Ended Band Setter

One end of this instrument assists in the placement of orthodontic bands.



66-6608

Classic Ligature Director

Used to help "tuck" excess steel ligature wire into the desired position.



66-6609

Bracket Positioner

A useful tool in placing brackets. Holds bondable attachments firmly, textured allows a secure grip. Light-weight design makes bracket placement easy. Made of anodized aluminum.



66-6610

Molar Cap Remover

Removes convertible caps from first molar buccal tubes. Insert tip into opening of tube and use lever action to peel off cap. Includes 3 replacement tips.



Fizten Surgico

EN ──● Orthodontic Instruments

DE ──● Kieferorthopädische Instrumente

ES ──● Instrumentos de ortodoncia



66-6611

Shortly Twist Holder

Precision - made holder. Simple insertion and locking of shortly ligature twists and shortyl Koby twists. Makes tying ligatures and easy.



66-6612

Nickel Titanium High Heat Ice instruments

Stainless steel.scaler.



66-6613

Mershon Molar Band Seater

Stainless steel serrated tip for a positive control.



66-6614

Band Seater

Stainless steel serrated tip for a positive control.



66-6615

Mershon Band Pusher Small

Round Handle

Stainless steel serrated tip for a positive control.



66-6616

Adjustment Bracket Height Guage

Stainless steel Capable of being sterilizable.



66-6617

Bracket Height Guage.18

For Precise bracket positioning of .18 brackets.



66-6618

Bracket Height Guage.22


For Precise bracket positioning of .22 brackets.



66-6621

Bracket Height Guage.18

For Precise bracket positioning of .18 brackets.



66-6619

Bracket Height Guage.18

For Precise bracket positioning of .18 brackets.

66-6620

Bracket Height Guage.22

For Precise bracket positioning of .22 brackets.



66-6625

Bracket Height Guage.18

For Precise bracket positioning of .18 brackets.



66-6623

Bracket Height Guage.18

For Precise bracket positioning of .18 brackets.

66-6624

Bracket Height Guage.22

For Precise bracket positioning of .22 brackets.



66-6626

Bracket Height Guage.22

For Precise bracket positioning of .22 brackets.



66-6627
Boley Gauge
Designed for accessibility and ease of measuring in millimeters.



66-6628
Interoral Boley Gauge
Curved pointed tips for accuracy



66-6629
Positioning Gauge
Four different measurement setting-3.5mm,4mm,4.5mm, and 5mm allow you to select the right.



66-6630
Small Stainless Steel Cheek Retractor
Stainless steel cheek retractor with satin finish to prevent glare.



66-6631
Bite Sticks Color: Sterilization
Tan: High Heat Auto. (up to 600), Blue: High Heat Auto. (up to 375), Orange/Purple: Autoclave (up to 270)



66-6632
Arch Turret with 5 wire-solts
.016" - .017"- .018"- .020" and .022"

Crown and Gold Scissors



66-6633
11.5 cm/4 1/2"
Straight

66-6634
11.5 cm/4 1/2"
Curved

Wire Scissors



66-6635
12 cm/4 3/4"

66-6636
12 cm/4 3/4"
TC



66-6637
Instruments Set



66-6638
Instruments Set



Fizten Surgico



Fizten Surgico



*Kharkana Bhoth Sialkot Cantt
51260, Punjab, Pakistan*



+92 323 8685907



fiztensurgico@gmail.com



www.fiztensurgico.com